Flooring Finishes

Sealed Concrete

FLOOR FINISH PLAN




Durability: 10 years

Maintenance: Dry mop/dust to cut down abrasion + neutral cleaner

Material Price: \$0.25/SF

Locations proposed:

Vehicle Sallyport, Most Storage Rooms, Janitor's Closets, Laundry, Chemical Mix, Chase, Water Service, Mech. Cells



EXISTING

EXISTING

SEALED CONCRETE

POLISHED CONCRETE

RESILIENT FLOORING (VCT) OR ACCENT

RESILIENT FLOORING (LVT)

TILE (PORCELAIN OR QUARRY)

CARPET TILE

WALK-OFF CARPET TILE

EPOXY / RESINOUS FLOORING #1

EPOXY / RESINOUS FLOORING #2

PADDED FLOORING

Install Example 2

Install Example 3

Cell - Mountrail

Dayrooms

Circulation Areas











Polished Concrete

FLOOR FINISH PLAN




Durability: 20 years

Maintenance: Dry mop/dust to cut down abrasion + neutral cleaner

Material Price: \$3/SF

Locations proposed:

Jail Vestibule, Sallyport, Change out/in, Booking, Interview, Holdings, Indoor Rec, Dayrooms, and Jail Corridor



EXISTING

SEALED CONCRETE

POLISHED CONCRETE

RESILIENT FLOORING (VCT) OR ACCENT

RESILIENT FLOORING (LVT)

TILE (PORCELAIN OR QUARRY)

CARPET TILE

WALK-OFF CARPET TILE

EPOXY / RESINOUS FLOORING #1

EPOXY / RESINOUS FLOORING #2

PADDED FLOORING

Install Example 2

Install Example 3

Dayroom 1



Dayroom 2 / Close-up of polished concrete with exposed aggregate





Dayroom 3



Resinous Flooring

FLOOR FINISH PLAN




Durability: 5 years

Maintenance: Sweep/vacuum to remove all dirt, grim, grit; use hard foam mop and warm/hot water

Material Price: \$4.50/SF

Locations proposed:

Locker Rooms, Dayroom D & Associated Cells, Safe Rooms, and Storage 1206



EXISTING

SEALED CONCRETE

POLISHED CONCRETE

RESILIENT FLOORING (IVT)

TILE (PORCELAIN OR QUARRY)

CARPET TILE

WALK-OFF CARPET TILE

EPOXY / RESINOUS FLOORING #1

EPOXY / RESINOUS FLOORING #2

PADDED FLOORING

Install Example 2

Install Example 3

Dayroom & Cell

Locker Room

Rec Room & Booking











Carpet Tile

FLOOR FINISH PLAN




Durability: 10-15 yr. warranty

Maintenance: Regular vacuuming/ hot water extraction as needed

Material Price: \$28/SF

Locations proposed:

Classroom, Library, Master Control/Sallyport, Private offices, meeting room



FLOOR MATERIAL KEY:

EXISTING

SEALED CONCRETE

POLISHED CONCRETE

RESILIENT FLOORING (VCT) OR ACCENT

RESILIENT FLOORING (LVT)

TILE (PORCELAIN OR QUARRY)

CARPET TILE

WALK-OFF CARPET TILE

EPOXY / RESINOUS FLOORING #1

EPOXY / RESINOUS FLOORING #2

PADDED FLOORING

Install Example 2

Install Example 3

Classrooms

Identification through Color

Checker floor pattern











Walk-off Carpet Tile

FLOOR FINISH PLAN




Durability: 10-15 yr. warranty

Maintenance: Regular vacuuming, hot-water extraction as needed

Material Price: \$34/SY

Locations proposed:

Booking Post, Non-contact Visitation, Contact Visitation, 24/7 Programming, Video Visitation, 24/7 Office



EXISTING

SEALED CONCRETE

POLISHED CONCRETE

POLISHED CONCRETE

RESILIENT FLOORING (VCT) OR ACCENT

RESILIENT FLOORING (LVT)

TILE (PORCELAIN OR QUARRY)

CARPET TILE

WALK-OFF CARPET TILE

EPOXY / RESINOUS FLOORING #1

EPOXY / RESINOUS FLOORING #2

PADDED FLOORING

Install Example 2

Install Example 3

Random

Quarter-turn pattern

Identification through Color









FLOOR FINISH PLAN



Durability: 20 yrs., reseal grout every 1-3 yrs.

Maintenance: Sweep as needed (twice/week) + clean with damp sponge mop

Material Price: \$2-5/SF

Locations proposed:

Kitchen and associated rooms, Staff restroom, 24/7 vestibule, UA Toilet Room, Public Lobby & Restroom, Public Vestibule



EXISTING

SEALED CONCRETE

POLISHED CONCRETE

RESILIENT FLOORING (VCT) OR ACCENT

RESILIENT FLOORING (LVT)

TILE (PORCELAIN OR QUARRY)

CARPET TILE

WALK-OFF CARPET TILE

EPOXY / RESINOUS FLOORING #1

EPOXY / RESINOUS FLOORING #2

PADDED FLOORING

Install Example 2

Install Example 3

Lobby

Kitchen (Quarry Tile)

Circulation Areas











VCT (Composite Tile)

FLOOR FINISH PLAN




Durability: 5 yr. warranty

Maintenance: Dry mop/dust to cut down abrasion + neutral cleaner. Polish as needed. Strip and reseal as per mfg instructions.

Material Price: \$.75-1/SF

Locations proposed:

Medical and associated Rooms.



EXISTING

SEALED CONCRETE

POLISHED CONCRETE

POLISHED CONCRETE

RESILIENT FLOORING (VCT) OR ACCENT

RESILIENT FLOORING (LVT)

TILE (PORCELAIN OR QUARRY)

CARPET TILE

WALK-OFF CARPET TILE

EPOXY / RESINOUS FLOORING #1

EPOXY / RESINOUS FLOORING #2

PADDED FLOORING

Install Example 2

Install Example 3

Booking & Medical

Video Visitation & Circulation

Dayroom & Circulation













LVT (Vinyl Tile)

FLOOR FINISH PLAN



Durability: 10-15 yr. warranty

Maintenance: Dry mop/dust to cut down abrasion + neutral cleaner

Material Price: \$2-3/SF

Locations proposed:

Back of House Corridors



EXISTING

SEALED CONCRETE

POLISHED CONCRETE

RESILIENT FLOORING (VCT) OR ACCENT

RESILIENT FLOORING (LVT)

TILE (PORCELAIN OR QUARRY)

CARPET TILE

WALK-OFF CARPET TILE

EPOXY / RESINOUS FLOORING #1

EPOXY / RESINOUS FLOORING #2

PADDED FLOORING

Install Example 2

Install Example 3

Using Color for Identification

Color Patterning

Color Blocking









Wall Tile, Epoxy/Latex Paint

WALL FINISH PLAN



- HOUSING UNIT ACCENT
- OVERALL WALL COLOR CHANGE
- MEDIUM TONE COLOR PAINT
- COLOR ACCENT
- WHITE BOARD/DRY ERASE PAINT



9 BKV GROUP

Install Example 2

Install Example 3

Using Color for Identification

Using color to support function

Color Blocking











